

APPLICATION FOR PERMIT  
TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

MAY 8 1981

Date of filing in State Engineer's Office.....

Returned to applicant for correction.....

Corrected application filed.....

Map filed..... MAY 8 1981

The applicant St. Anthony Greek Orthodox Church aka Greek Orthodox Parish  
of Reno  
4795 Lakeside Dr., of Reno,  
Street and No. or P.O. Box No. City or Town  
Nevada 89509, hereby make application for permission to appropriate the public  
State and Zip Code No.  
waters of the State of Nevada, as hereinafter stated. (If applicant is a corporation, give date and place of incorpora-  
tion; if a copartnership or association, give names of members.)

1. The source of the proposed appropriation is underground  
Name of stream, lake or other source.

2. The amount of water applied for is 0.05 second-feet  
One second-foot equals 448.83 gals. per min.

(a) If stored in reservoir give number of acre-feet..... acre-feet

3. The water to be used for quasi-municipal purposes (Geothermal Space Heating)  
Irrigation, power, mining, manufacturing, domestic, or other use. Must limit to one use.

4. If use is for:

(a) Irrigation (state number of acres to be irrigated).....

(b) Stockwater (state number and kinds of animals to be watered).....

(c) Other use (describe fully under "No. 12. Remarks").....

(d) Power:

(1) Horsepower developed.....

(2) Point of return of water to stream.....

5. The water is to be diverted from its source at the following point: NE¼ SE¼ of Section 26, T19N,  
R19E, M.D.M. or at a point from which the southeast corner of Section 26  
Describe as being within a 40-acre subdivision of public survey, and by course and distance to a section corner. If on unsurveyed land,  
bears S 10° 45' 40" E, 1550 feet.  
it should be stated.

6. Place of use A portion of the NE¼ of the SE¼ of Section 26, T19N, R19E,  
Describe by legal subdivision, if on unsurveyed land it should be so stated.  
M.D.M.

7. Use will begin about January 1 and end about December 31, of each year.  
Month and Day Month and Day

8. Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans and  
specifications of your diversion or storage works.) well, pump and pipelines

State manner in which water is to be diverted, i.e. diversion structure, ditches and flumes, drilled well with pump and motor, etc.

9. Estimated cost of works.....
10. Estimated time required to construct works..... 1 year  
If well completed, describe works.
11. Estimated time required to complete the application to beneficial use..... 2 years
12. Remarks: For use other than irrigation or stock watering, state number and type of units to be served or annual consumptive use.

The hot water will be used to heat St. Anthony's Church of Reno  
and any additions to the same. The water will be recirculated resulting  
in very little actual consumption.

St. Anthony Greek Orthodox Church  
aka Greek Orthodox Parish of Reno

By..... /s/ E. P. Osgood  
Signature, applicant or agent  
E.P. Osgood, Agent  
129 Bell Street  
Reno, Nevada 89503

Compared..... vjw/ bl..... bt/bc.....

.....APPROVAL.....OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit is issued subject to existing rights. It is understood that the amount of water herein granted is only a temporary allowance and that the final water right obtained under this permit will be dependent upon the amount of water actually placed to beneficial use. It is also understood that this right must allow for a reasonable lowering of the static water level. If the well is flowing, a valve must be installed and maintained to prevent waste. Accurate measurements must be kept of water placed to beneficial use. This source is located within an area designated by the State Engineer, pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

This permit is to appropriate geothermal fluids only and all cold, fresh water aquifers are to be sealed off to prevent waste and contamination.  
The spent geothermal fluids are to be returned to the source.

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed.....0.05.....cubic feet per second, but not to exceed.....1.0 million gallons annually.....

Actual construction work shall begin on or before.....N/A.....

Proof of commencement of work shall be filed before.....N/A.....

Work must be prosecuted with reasonable diligence and be completed on or before.....February 3, 1983.....


Proof of completion of work shall be filed before.....March 3, 1983.....

Application of water to beneficial use shall be made on or before.....February 3, 1985.....

Proof of the application of water to beneficial use shall be filed on or before.....March 3, 1985.....

Map in support of proof of beneficial use shall be filed on or before.....

Commencement of work filed.....  
Completion of work filed.....APR 13 1983.....  
Proof of beneficial use filed.....MAR 11 1985.....  
Cultural map filed.....  
Certificate No.....11184.....Issued.....JUN 3 1985.....

IN TESTIMONY WHEREOF, I.....PETER G. MORROS.....  
State Engineer of Nevada, have hereunto set my hand and the seal of my office, this.....3rd.....day of.....FEBRUARY.....  
A.D. 19.....82.....  
  
State Engineer